

# VU Research Portal

## Towards endophenotyping multiple sclerosis

Strijbis, E.M.M.

2014

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

Strijbis, E. M. M. (2014). *Towards endophenotyping multiple sclerosis*. [, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

Multiple sclerosis (MS) is a disease of the central nervous system, with inflammatory and neurodegenerative pathological features. The clinical course is variable, varying from mild neurological deficit to severe disability. It is unfortunately currently not possible to give an individual patient a reliable prognosis of the extent of neurological deficit later in the disease course. The pathophysiological mechanisms that cause this variability in clinical expression of MS are probably heterogeneous. Genetic factors have long been established as contributing risk factors for developing MS, and it is also plausible that genetic variation between individual patients is related to a variable disease course. In this thesis we aimed to provide further insight into the clinical variety of MS using a stratification approach based on imaging and pathological phenotypes. Furthermore, in order to identify possible genetic mechanisms that might influence disease expression, we extended our research into genetic association studies using imaging phenotypes. With this translational approach this thesis suggests that endophenotyping provides a new direction for understanding the heterogeneity of MS.